6

	Application No.	Applicant(s)
Notice of Allowability	10/797,436	HEKMAN ET AL.
	Examiner	Art Unit
	Darron W. Garman	3752
	Darren W. Gorman	3132
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included nerewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the response filed October 3, 2005.		
2. The allowed claim(s) is/are <u>1-3,5-8 and 10-15.</u>		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the 		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
		·
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application (PTO-152)
Notice of Preferences Great (1 10-032) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary	(PTO-413 8)
	_ Paper No./Mail Dat	tè <u>11162005</u> .
 Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 05/10/04, 11/07/05 	7. 🖸 Examiner's Amendi	Henrocomment
4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statement	ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/797,436 Page 2

Art Unit: 3752

DETAILED ACTION

Information Disclosure Statement

The IDS forms filed on May 10, 2004 and November 7, 2005 are hereby acknowledged and have been placed of record. Please find attached a signed and initialed copy of each PTO 1449.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Charles Fredericks on November 7, 2005.

The application has been amended as follows:

- In claim 1, on line 9, --; wherein said biased member includes: a locking groove shaped to secure said trip shaft for rotation; and a biasing spring positioned to bias said locking groove against said trip shaft-- has been inserted between "when depressed" and "."
- Claim 4 has been canceled
- In claim 6, on line 14, --; wherein said biased member includes: a locking groove shaped to secure said trip shaft for rotation; and a biasing spring positioned to bias said locking groove against said trip shaft-- has been inserted between "is depressed" and "."

Application/Control Number: 10/797,436 Page 3

Art Unit: 3752

Claim 9 has been canceled

• Further, this application is in condition for allowance except for the presence of claims

16-18 drawn to an invention non-elected without traverse. Accordingly, claims 16-18

have been cancelled.

(NOTE: Please refer to the enclosed Examiner Initiated Interview Summary Form PTO-413B

for a detailed explanation with regard to the above amendments and for the reasons for

allowance)

Allowable Subject Matter

3. Claims 1-3, 5-8 and 10-15 are allowed.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure. US Patents to Kah, Jr are cited as of interest.

5. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Darren W. Gorman whose telephone number is 571-272-4901.

The examiner can normally be reached on M-F 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Dave Scherbel can be reached on 571-272-4919. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/797,436

Art Unit: 3752

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Darren W Gorman

Page 4

Examiner Art Unit 3752

DWG

November 16, 2005

David A. Scherbei
Supervisory Patent Examiner
Group 3700